

Day : Thursday
 Date: 5/27/2004
 Time: 12:49:28

PALM INTRANET

Inventor Name Search Result

Your Search was:

Last Name = USUI

First Name = HISAYOSHI

Application#	Patent#	Status	Date Filed	Title	Inventor Name 11
<u>10740027</u>	Not Issued	020	12/18/2003	MOBILE TELEPHONE SYSTEM CAPABLE OF EFFECTIVELY UTILIZING GPS INFORMATION EVEN IF DIRECT RECEPTION BY A MOBILE TELEPHONE APPARATUS IS DIFFICULT	USUI, HISAYOSHI
<u>10731141</u>	Not Issued	030	12/10/2003	CELLULAR PHONE SUPPRESSING DEGRADATION OF RECEIVING SENSITIVITY	USUI, HISAYOSHI
<u>09839096</u>	Not Issued	071	04/20/2001	MOBILE TELEPHONE SYSTEM CAPABLE OF EFFECTIVELY UTILIZING GPS INFORMATION EVEN IF DIRECT RECEPTION BY A MOBILE TELEPHONE APPARATUS IS DIFFICULT	USUI, HISAYOSHI
<u>09833664</u>	Not Issued	030	04/13/2001	MOBILE COMMUNICATION DEVICE CAPABLE OF CARRYING OUT BOTH INDIRECT AND DIRECT COMMUNICATION	USUI, HISAYOSHI
<u>09644680</u>	6469583	150	08/24/2000	PLL CONTROL CIRCUIT FOR DIGITAL OSCILLATION FREQUENCY CONTROL AND CONTROL METHOD ADOPTED IN THE SAME	USUI, HISAYOSHI
<u>09595494</u>	Not Issued	041	06/15/2000	DIGITAL PORTABLE TELEPHONE SET	USUI, HISAYOSHI
<u>09592172</u>	6625468	150	06/12/2000	DIGITAL PORTABLE TELEPHONE UNIT AND METHOD FOR PLAYING BACK VOICE/SOUND IN THE	USUI, HISAYOSHI

				SAME UNIT	
<u>09496541</u>	6615060	150	02/02/2000	COMMUNICATION DEVICE EFFECTIVELY CONTROLLING POWER SUPPLY, METHOD OF CONTROLLING POWER SUPPLY, AND MEDIUM	USUI, HISAYOSHI
<u>09162888</u>	6269128	150	09/30/1998	CLOCK RECOVERY CONTROL IN DIFFERENTIAL DETECTION	USUI, HISAYOSHI
<u>07606998</u>	5239683	150	10/31/1990	CELLULAR TELEPHONE SYSTEM CAPABLE OF REDUCING IM DISTORTION AT PORTABLE TELEPHONE	USUI, HISAYOSHI
<u>07355626</u>	4916729	250	05/23/1989	MOBILE STATION FOR AN AUTOMOBILE TELEPHONE SYSTEM	USUI, HISAYOSHI

Inventor Search Completed: No Records to Display.

Search Another: Inventor

Last Name

usui

First Name

hisayoshi

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

	Type	L #	Hits	Search Text
1	BRS	L1	43	(dual adj mode) same buttons
2	BRS	L2	550	455/552.1.ccls.
3	BRS	L3	0	1 and 2
4	BRS	L4	3435	modes same buttons
5	BRS	L5	2	2 and 4
6	BRS	L6	54940	455/\$5.ccls.
7	BRS	L7	110	4 and 6
8	BRS	L8	89828	buttons
9	BRS	L9	32	2 and 8

	DBs	Time Stamp	Comments	Error Definition
1	USPAT; US-PGPUB	2004/05/27 09:04		
2	USPAT; US-PGPUB	2004/05/27 08:58		
3	USPAT; US-PGPUB	2004/05/27 08:58		
4	USPAT; US-PGPUB	2004/05/27 08:59		
5	USPAT; US-PGPUB	2004/05/27 09:00		
6	USPAT; US-PGPUB	2004/05/27 09:00		
7	USPAT; US-PGPUB	2004/05/27 09:00		
8	USPAT; US-PGPUB	2004/05/27 09:04		
9	USPAT; US-PGPUB	2004/05/27 09:05		

	Type	L #	Hits	Search Text
1	BRS	L1	550	455/552.1.ccls.
2	BRS	L2	101397	switch with mode
3	BRS	L3	171	1 and 2
4	BRS	L4	57959	switch near3 mode
5	BRS	L5	105	1 and 4
6	BRS	L6	1047	(switch near3 mode) with (keypad or keyboard)
7	BRS	L7	4	1 and 6
8	BRS	L8	5726	first with second with (switch near3 mode)
9	BRS	L9	16	1 and 8

	DBs	Time Stamp	Comments	Error Definition
1	USPAT; US-PGPUB	2004/05/27 08:41		
2	USPAT; US-PGPUB	2004/05/27 08:41		
3	USPAT; US-PGPUB	2004/05/27 08:41		
4	USPAT; US-PGPUB	2004/05/27 08:48		
5	USPAT; US-PGPUB	2004/05/27 08:42		
6	USPAT; US-PGPUB	2004/05/27 08:42		
7	USPAT; US-PGPUB	2004/05/27 08:42		
8	USPAT; US-PGPUB	2004/05/27 08:48		
9	USPAT; US-PGPUB	2004/05/27 08:48		

	Type	L #	Hits	Search Text
1	BRS	L1	8	455/552.1.ccls. and 455/574.ccls.
2	BRS	L2	3	455/41.2,41.3.ccls. and 455/574.ccls.
3	BRS	L3	550	455/552.1.ccls.
4	BRS	L4	1739	bluetooth same cellular
5	BRS	L5	12	3 and 4

	DBs	Time Stamp	Comments	Error Definition
1	USPAT; US-PGPUB	2004/05/27 08:04		
2	USPAT; US-PGPUB	2004/05/27 08:06		
3	USPAT; US-PGPUB	2004/05/27 08:07		
4	USPAT; US-PGPUB	2004/05/27 08:10		
5	USPAT; US-PGPUB	2004/05/27 08:07		